

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,222	01/28/2004	William J. Hynes	706556US1	2254
24938 .	7590 03/10/2005		EXAMINER	
DAIMLERCHRYSLER INTELLECTUAL CAPITAL CORPORATION			CASTRO, ARNOLD	
CIMS 483-0 800 CHRYS	2-19 SLER DR EAST		ART UNIT	PAPER NUMBER
AUBURN H	IILLS, MI 48326-2757		3747	
			DATE MAILED: 03/10/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Supplemental	10/766,222 HYNES ET AL.		
Notice of Allowability	Examiner	Art Unit	
	Arnold Castro	3747	
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 35) or other appropriate common RIGHTS. This application is some thin the second seco	n this application. If not include unication will be mailed in due	ded e course. THIS
 This communication is responsive to <u>Examiner iniated in</u> 	<u>nterview</u> .		
2. The allowed claim(s) is/are <u>1,3-9 and 11</u> .			
3. $igotimes$ The drawings filed on 28 January 2004 are accepted by	the Examiner.		
4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents hat 2. Certified copies of the priority documents hat 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDOI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be sufficiently in the complete of the priority of the certified copies not received: (a) CORRECTED DRAWINGS (as "replacement sheets") in (a) Including changes required by the Notice of Draftsport of the certified copies of the priority of the paper No./Mail Date (b) Including changes required by the attached Examinate Paper No./Mail Date Lidentifying indicia such as the application number (see 37 CFF each sheet. Replacement sheet(s) should be labeled as such in the complex of the priority of the certified copies of the priority documents have a complex of the priority documents h	ave been received. ave been received in Application documents have been received. E" of this communication to file NMENT of this application. comitted. Note the attached EX pives reason(s) why the oath of the nust be submitted. erson's Patent Drawing Review. er's Amendment / Comment of the header according to 37 CF posit of BIOLOGICAL MAT	on No d in this national stage applic a reply complying with the re AMINER'S AMENDMENT or r declaration is deficient. w (PTO-948) attached r in the Office action of the drawings in the front (not the TR 1.121(d)). ERIAL must be submitted.	equirements NOTICE OF
attached Examiner's comment regarding REQUIREMEN			
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5. ☐ Notice of In	formal Patent Application (P	ΓO-152)
 Notice of Praftperson's Patent Drawing Review (PTO-948) 	_	ummary (PTO-413),	102/
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/Si	Paper No.	/Mail Date Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposi	it 8. 🗌 Examiner's	Statement of Reasons for Al	lowance
of Biological Material	9.	*	
,			

Application/Control Number: 10/766,222 Page 2

Art Unit: 3747

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gordon Harris on January 24, 2005.

.The application has been amended as follows:

Claims 1-3 are replaced with following Claims 1-3.

(Amended) An Exhaust gas recirculation control system for an engine comprising:

a valve that controls recirculation of exhaust gas In the engine between an exhaust manifold and an intake manifold; and

a controller that communicates with the valve and opens the valve after the engine is turned off to allow the exhaust gas into the intake manifold, <u>and</u>

wherein the controller determines if there is exhaust gas in the intake manifold.

- 2. Cancelled
- 3. (Amended) The exhaust gas recirculation control system of claim 2 1 wherein the controller reduces fuel delivery to the engine at a subsequent engine startup If there is exhaust gas in the intake manifold.

Application/Control Number: 10/766,222 Page 3

Art Unit: 3747

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arnold Castro whose telephone number is (571) 272-4839. The examiner can normally be reached on Mon, Tues, Wed, Thurs 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yuen Henry can be reached on (571-272-4856. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Arnold Castro Examiner Art Unit 3747

AC

Willis R. Wolfe Primary Examiner

Art Unist 2745